Pontraga Suministros de Laboratorio
www.pontraga.es
info@pontraga.es

Láminas de sellado para ciencias biológicas, Lámina termosellable, BRAND®

Ref.: BRAND.701430 | Categoría: Laminas de cierre




Descripción

Heat sealing films provide very good protection against evaporation and contamination due to the tight seal.

Aluminum foils are used for PP and PS plates. They are resistant to solvents and are used both at low temperatures and for storage at room temperature. Depending on the application, they are peelable or pierceable.

The transparent film in PE is used for PP sheets. Due to its good optical properties it is suitable for qPCR and colorimetric assays.

Especificaciones técnicas

Referencia		Ref. Fabricante	Especificaciones	Material	Área de aplicación	Temperatura de uso	Env
701430		701430	exenta de DNasa, RNasa, DNA	aluminio/adhesive lacquer	PCR, almacenamiento y transporte	-20 a 120 °C	100
701431		701431	exenta de DNasa, RNasa, DNA	PE/PP, adhesive lacquer	qPCR, PCR, almacenamiento y eliminación de materiales peligrosos	-80 a 110 °C	100
701432		701432	exenta de DNasa, RNasa, DNA	aluminio/adhesive lacquer	almacenamiento de muestras, almacenamiento a largo plazo y transporte a bajas temperatura	-200 a 110 °C	1